MARYLAND HISTORICAL TRUST DETERMINATION OF ELIGIBILITY FORM

0		Inventory Number: CE-1556
Address: 900 Susquehanna Road (222)		Historic district: yes X no
City: Port Deposit vic.	Zip Code: 21904	County: Cecil
USGS Quadrangle(s): Conowingo Dam		
Property Owner:	Т	ax Account ID Number:
Tax Map Parcel Number(s): 52	Tax Map Number	r:22
Project: Conowingo Hydroelectric Relicens	sing Project (FERC No. 405) Agency:	Federal Energy Regulatory Commission
Agency Prepared By: TRC ENVIRONME	NTAL, INC.	
Preparer's Name: Ellen Jenkins		Date Prepared: 10/10/2011
	STRUCTURES REPORT FOR THE SING APPLICATION PROJECT	CONOWINGO HYDROELECTRIC
Preparer's Eligibility Recommendation:	Eligibility recommended	X Eligibility not recommended
Criteria: A B C D	Considerations: A B	C D E F G
Complete if the property is a cont	ributing or non-contributing resource	to a NR district/property:
Name of the District/Property:		
Inventory Number:	Eligible: yes	Listed: yes
	(no Name:	Date:
level are filled with chinking and daubing, w replacement corrugated metal and the chimne	hile the attic story is clad with weather	
features a square pegged surround. The gable and conceals the foundation of the main bloc foundation, it is clad with weatherboard and 1940 outbuildings on the property: a barn, an NRHP Evaluation: Based on the information integrity and no historical significance. Acco	lows on the side elevations. The panele e ends feature two fixed 6-light window k. A ca. 1940 1-story ell was added to features 1/1 sash windows and a 2-stor d two storage buildings. collected, TRC recommends the resourting to the 1877 Lake, Griffing & Ste to associate the dwelling with any persent B). Additionally, the rear addition, p	and single-leaf door is located off-center and ws. A wrap-around porch was added ca. 1940 the west (rear) elevation. Set on a concrete by deck off the rear elevation. There are three can be received in the NRHP due to lack of evenson Map, the dwelling was occupied by on or events that have significantly contributed borch addition, and ca. 1940 buildings have
features a square pegged surround. The gable and conceals the foundation of the main bloc foundation, it is clad with weatherboard and 1940 outbuildings on the property: a barn, an NRHP Evaluation: Based on the information integrity and no historical significance. Acco Palmer. Research at local repositories failed to the broad patterns of history (Criteria A and	lows on the side elevations. The panele e ends feature two fixed 6-light window k. A ca. 1940 1-story ell was added to features 1/1 sash windows and a 2-stor d two storage buildings. collected, TRC recommends the resourting to the 1877 Lake, Griffing & Ste to associate the dwelling with any persent B). Additionally, the rear addition, premanship, design, and setting (Criterion tends of the side of	and single-leaf door is located off-center and ws. A wrap-around porch was added ca. 1940 the west (rear) elevation. Set on a concrete by deck off the rear elevation. There are three carries ineligible for the NRHP due to lack of evenson Map, the dwelling was occupied by on or events that have significantly contributed borch addition, and ca. 1940 buildings have
features a square pegged surround. The gable and conceals the foundation of the main bloc foundation, it is clad with weatherboard and 1940 outbuildings on the property: a barn, an NRHP Evaluation: Based on the information integrity and no historical significance. Acco Palmer. Research at local repositories failed to the broad patterns of history (Criteria A an compromised the integrity of materials, work	lows on the side elevations. The panele e ends feature two fixed 6-light window k. A ca. 1940 1-story ell was added to features 1/1 sash windows and a 2-stored two storage buildings. collected, TRC recommends the resounding to the 1877 Lake, Griffing & Step to associate the dwelling with any personal B). Additionally, the rear addition, promanship, design, and setting (Criterion VIEW	and single-leaf door is located off-center and ws. A wrap-around porch was added ca. 1940 the west (rear) elevation. Set on a concrete by deck off the rear elevation. There are three carries ineligible for the NRHP due to lack of evenson Map, the dwelling was occupied by on or events that have significantly contributed borch addition, and ca. 1940 buildings have
features a square pegged surround. The gable and conceals the foundation of the main bloc foundation, it is clad with weatherboard and 1940 outbuildings on the property: a barn, an NRHP Evaluation: Based on the information integrity and no historical significance. Acco Palmer. Research at local repositories failed to the broad patterns of history (Criteria A an compromised the integrity of materials, work	lows on the side elevations. The panele e ends feature two fixed 6-light window k. A ca. 1940 1-story ell was added to features 1/1 sash windows and a 2-stored two storage buildings. collected, TRC recommends the resounding to the 1877 Lake, Griffing & Steto associate the dwelling with any personal B). Additionally, the rear addition, permanship, design, and setting (Criterion VIEW	and single-leaf door is located off-center and ws. A wrap-around porch was added ca. 1940 the west (rear) elevation. Set on a concrete by deck off the rear elevation. There are three carries ineligible for the NRHP due to lack of evenson Map, the dwelling was occupied by on or events that have significantly contributed borch addition, and ca. 1940 buildings have
features a square pegged surround. The gable and conceals the foundation of the main bloc foundation, it is clad with weatherboard and 1940 outbuildings on the property: a barn, an NRHP Evaluation: Based on the information integrity and no historical significance. Acco Palmer. Research at local repositories failed to the broad patterns of history (Criteria A an compromised the integrity of materials, work MARYLAND HISTORICAL TRUST REVELLIGIBILITY RECOMPANDING TRUST REVELLIGIBILITY REVELLIGIBILITY RECOMPANDING TRUST REVELLIGIBILITY	lows on the side elevations. The panele e ends feature two fixed 6-light window k. A ca. 1940 1-story ell was added to features 1/1 sash windows and a 2-stored two storage buildings. collected, TRC recommends the resounding to the 1877 Lake, Griffing & Steto associate the dwelling with any personal B). Additionally, the rear addition, permanship, design, and setting (Criterion VIEW	and single-leaf door is located off-center and why. A wrap-around porch was added ca. 1940 the west (rear) elevation. Set on a concrete by deck off the rear elevation. There are three carries ineligible for the NRHP due to lack of evenson Map, the dwelling was occupied by on or events that have significantly contributed borch addition, and ca. 1940 buildings have in C).
features a square pegged surround. The gable and conceals the foundation of the main bloc foundation, it is clad with weatherboard and 1940 outbuildings on the property: a barn, an NRHP Evaluation: Based on the information integrity and no historical significance. Acco Palmer. Research at local repositories failed to the broad patterns of history (Criteria A an compromised the integrity of materials, work MARYLAND HISTORICAL TRUST REVELLIGIBILITY REVELLIGIB	lows on the side elevations. The panele e ends feature two fixed 6-light window k. A ca. 1940 1-story ell was added to features 1/1 sash windows and a 2-stored two storage buildings. collected, TRC recommends the resourching to the 1877 Lake, Griffing & Steto associate the dwelling with any persent B). Additionally, the rear addition, permanship, design, and setting (Criterion VIEW Eligibility not recommended Considerations: A	and single-leaf door is located off-center and why. A wrap-around porch was added ca. 1940 the west (rear) elevation. Set on a concrete by deck off the rear elevation. There are three can be received in the interest of the set of the interest of the inte
features a square pegged surround. The gable and conceals the foundation of the main bloc foundation, it is clad with weatherboard and 1940 outbuildings on the property: a barn, an NRHP Evaluation: Based on the information integrity and no historical significance. Acco Palmer. Research at local repositories failed to the broad patterns of history (Criteria A an compromised the integrity of materials, work MARYLAND HISTORICAL TRUST REVELLIGIBILITY RECOMPANDING TRUST REVELLIGIBILITY REVELLIGIBILITY RECOMPANDING TRUST REVELLIGIBILITY	lows on the side elevations. The panele e ends feature two fixed 6-light window k. A ca. 1940 1-story ell was added to features 1/1 sash windows and a 2-stored two storage buildings. collected, TRC recommends the resourching to the 1877 Lake, Griffing & Steto associate the dwelling with any persent B). Additionally, the rear addition, permanship, design, and setting (Criterion VIEW Eligibility not recommended Considerations: A	and single-leaf door is located off-center and why. A wrap-around porch was added ca. 1940 the west (rear) elevation. Set on a concrete by deck off the rear elevation. There are three concrete ineligible for the NRHP due to lack of evenson Map, the dwelling was occupied by on or events that have significantly contributed by borch addition, and ca. 1940 buildings have in C).

201204714

NR Eligible: yes

no

NR-ELIGIBILITY REVIEW FORM

CE-1556

CE-1556: Palmer House

1				~
 ,,,	2	O	۲Æ	7

Re	£-		_	-	
15 60	1.60	100	п		100

Maryland Historical Trust (MHT)

2009 Standards and Guidelines for Architectural and Historical Investigations in Maryland. Crownsville, MD.


National Park Service (NPS)


1978 National Register Bulletin 24, Guidelines for Local Surveys: A Basis for Preservation Planning. Washington, D.C. Revised 1985.

1990 How to Apply the National Register Criteria for Evaluation. National Register Bulletin 15, Washington, D.C. Revised 2002.

MARYLAN	D HISTO	ORICAI	TRUST	REVI	EW							
Eligibility r	ecommen	ded		Eli	igibility not recommer	nded						
Criteria:	A nents:	В	C	D	Considerations:	A	В	C	D	E	F	G
	Review	er, Offic	e of Pres	servatio	on Services			Date				
	Revie	wer, Na	tional Re	egister	Program			Date				

CE-1556 Palmer House 900 Susquehanna River Road (US 222) Conowingo Dam quad 1953, Photorevised 1985





CE-1556 Palmer House Conowingo Dam, 1995 USGS Topographic Quadrangle

MIHP Number: CE-1556

Resource Name: Palmer House

File Name	Description of View
CE-1556_2010-09-16_01.tif	Façade, Looking West
CE-1556_2010-09-16_02.tif	Façade and Side Elevation, Looking South
CE-1556_2010-09-16_03.tif	Outbuilding, Looking Southwest
CE-1556_2010-09-16_04.tif	Outbuildings, Looking South

Photos Printed with HP 100 gray photo cartridge on HP Premium Photo Paper (soft gloss)



CE- 1556 Palmer House Cecil, MD E. Jenkins 9-16-2010 MD SHPO Facade, Looking West #10f4



Palmer House
Cecil, MD

E. Jenkins
9-16-2010

MD SHFO

Facade and Side Elevation, Looking South

2 of 4

CE-1556



Palmer House
Cecil, MD

E. Jenkins
9-16-2010
MD SHPO
Outbuilding, Looking Southwest
3 of 4

CF- 1556



CE-1556 Palmer House Cecil, MD E. Jenkins 9-16-2010 MD SHPO Outbuilding, Looking South # 4 of 4